

21423 Winsen (Luhe) - Germany Telefon: +49 (0)4171 / 8480-0

Homepage: www.ampri.de e-mail: info@ampri.de

Technical Data Sheet


Article-No.: 970-013

Description: pura comfort blue

Nitrile examination glove

blue, non sterile, pre-powdered

THICKNESS		
cuff	palm	fingertips
0.04 mm	0.05 mm	0.06 mm



SIZES							
	XS (5-6)	S (6-7)	M (7-8)	L (8-9)	XL (9-10)	XXL (10-11)	XXXL (11-12)
width	≤ 80 mm	80 ± 10 mm	95 ± 10 mm	110 ± 10 mm	115 ± 10 mm	-	=
length	≥ 240 mm	≥ 240 mm	≥ 240 mm	≥ 240 mm	≥ 240 mm	-	-

REGULATORY AFF	AIR:	S										
PPE-Regulation		Category I		Category II	N	Category III		no PPE-				
(EU) 2016/425								article				
MD-Regulation	Ø	Class I		Class II a		Class III		sterile		measuring	no medical	7)
(EU) 2017/745										function	device	
Food Contact	Ø	acidic foods	Ø	aqueous food	4	fatty foods	Ø	alcoholic	Ø	dry foods	not approved	
(EG) 1935/2004								foods			for food-	721
											contact	

STANDARDISATIO	N						
EN 388 Mechanical Risks	abrasion resistance	blade cut resistance Coupe-Test	tear resistance	puncture resistance	blade cut resistance TDM-Test	impact test	
Level	not applicable						
EN 374-1	chemical		code letter	level	permeation time	degradation	
Chemical Risks	Sodium hydroxide	40%	K	6	> 480 min	-5,8 %	ISO 374-1/Type B
	Hydrogen Peroxid	e 30%	P	3	> 60 min	17,2 %	
EN 374-4	Formaldehyde 379	%	T	6	> 480 min	26,1 %	

EN 374-5	The glove is tight against microorgan	isms (viral, bacteria	a and fungi). Test a	cording to ISO 166	04 - method B.
microorganism					
tightness					

EN 420	The glove meets the requirements according to EN 420	
protective gloves		

EN 455 medical gloves for single use	The glove meets the requirements according to EN 455-1, EN 455-2, EN 455-3, EN 455-4	EN 455
EN 455-1 freedom from holes	The glove has an AQL < 1.5 in regards to the water retention test (sampling inspection in acc. to ISO 2859-1, general Inspection Level I)	AQL (1.5)

ISO 18889	not applicable	
Pesticide application		

(32)

Degradation



21423 Winsen (Luhe) - Germany Telefon: +49 (0)4171 / 8480-0 Homepage: www.ampri.de

omepage: www.ampri.de e-mail: info@ampri.de


Technical Data Sheet

Article-No.: **970-013**

Description: pura comfort blue

Nitrile examination glove


blue, non sterile, pre-powdered



LOGISTIC DATA	PALETTE	
general information	on	
kind of palett		euro-palette
measures & size		
cartons per layer		14
layers per palette		9
heigth of the palet	tte	204 cm
weights		
size	net weight	gross weight
XS	441 kg	466 kg
S	479 kg	504 kg
M	517 kg	542 kg
L	554 kg	579 kg
XL	592 kg	617 kg
XXL	=	=
XXXL	-	-



generell information	n			
material	carton			
subpackings per out	er packing	10		
GTIN outer packing	size XS	4044941007991		
GTIN outer packing	size S	4044941008004		
GTIN outer packing	size M	4044941008011		
GTIN outer packing	size L	4044941008028		
GTIN outer packing	size XL	4044941008035		
GTIN outer packing	size XXL	-		
GTIN outer packing	size XXXL	-		
PZN outer packing s	ize XS	-		
PZN outer packing s	ize S	-		
PZN outer packing s	ize M	-		
PZN outer packing s	ize L	-		
PZN outer packing s	ize XL	-		
PZN outer packing s	ize XXL	-		
PZN outer packing s	ize XXXL	-		
measures & size				
length		260 mm		
width		230 mm		
heigth		210 mm		
weights				
size	net weight	gross weight		
XS	3.000 g	3.500 g		
S	3.800 g			
M	4.100 g			
L	4.400 g			
XL	4.200 g	4.700 g		
XXL	-	-		
XXXL	-	-		





21423 Winsen (Luhe) - Germany Telefon: +49 (0)4171 / 8480-0

Homepage: www.ampri.de e-mail: info@ampri.de

Technical Data Sheet

Article-No.: **970-013**

Description: pura comfort blue

Nitrile examination glove

blue, non sterile, pre-powdered



WARNINGS AND SAFETY INFORMATION

storage / expiry date

Store gloves in original packaging in a cool and dry place without additional weight, protect from direct sunlight. Do not store near ozone sources (laser printers, copiers). The actual expiry time in use cannot be specified in general terms, as it depends on the general conditions of use. An individual risk assessment must be carried out in each case. The expiry date - valid for proper storage - is stated on the packaging.

use and control

Always use protective gloves only for the intended use and in the correct size. A check/risk assessment must be carried out to ensure that the gloves are suitable for the intended use, as the conditions at the workplace may deviate from those of the type test depending on temperature, abrasion and degradation. Breakthrough times and permeation levels are based on laboratory measurements and are determined using samples taken from the palm of the hand. The actual duration of protection of a glove with a specific substance can vary significantly due to the conditions of use (temperature, abrasion, stretching). In the case of aggressive chemicals, degradation (change in mechanical properties) can be an important factor to consider when selecting chemical-resistant gloves. This information does not reflect the actual duration of protection in the workplace and the distinction between mixtures and pure chemicals. The chemical resistance was determined under laboratory conditions only on the basis of samples from the palm and refers only to the chemicals tested. The situation may be different if the chemical is used in a mixture. The penetration resistance was evaluated under laboratory conditions and refers only to the tested specimen. The degradation results according to EN ISO 374-4 show the change in puncture resistance of the gloves after exposure to the tested chemical.

disposal

Used gloves must be disposed of after contact with chemicals in accordance with the disposal regulations for the chemical and the regulations of the local waste disposal company. Unused gloves can be disposed of with household waste.

disinfection

Disinfection is not intended for these gloves and is the responsibility of the user.

warnings/ allergy information

Protective gloves are intended for single use only.

This product contains dithiocarbamates, which may cause allergic reactions

donning and doffing instructions











rev-no.: 10

date 03. 09.2024

changes and errors excepted